



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

SECTION 1: Identification

1.1 Product identifier

Trade name

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

For use in diesel fuel only. Do not mist.

1.3 Details of the supplier of the safety data sheet

Lubrication Specialties, LLC
3975 Morrow Meadows Drive
Mount Gilead Ohio 43338
United States
Telephone: +1 800-341-6516
Email: lab@lubricationspecialties.com
Website: hotshotsecret.com

1.4 Emergency telephone number INFOTRrac: 1-800-535-5053

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|---|----------|---------------------------|------------------|
| 4.1A | hazardous to the aquatic environment - acute hazard | 2 | Aquatic Acute 2 | H401 |
| 4.1C | hazardous to the aquatic environment - chronic hazard | 1 | Aquatic Chronic 1 | H410 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labeling

- Signal word warning

- Pictograms

GHS09



- Hazard statements

H401

Toxic to aquatic life.

H410

Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P273

Avoid release to the environment.

P391

Collect spillage.

P501

Dispose of contents/container to industrial combustion plant.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|-----------------------------------|----------------------|---------|--|------------|
| 1-Octene Homopolymer Hydrogenated | CAS No 70693-43-5 | 1 - < 5 | Acute Tox. 5 / H313 Acute Tox. 5 / H333 | |
| Trade Secret | CAS No 39202-17-0 | < 1 | Acute Tox. 5 / H303 Acute Tox. 5 / H313 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411 | |
| trimethylolpropane trielargonate | CAS No 126-57-8 | < 1 | Acute Tox. 5 / H303 Acute Tox. 5 / H313 Aquatic Acute 2 / H401 Aquatic Chronic 1 / H410 | |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)
this information is not available

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | liquid |
| Color | not determined |
| Odor | characteristic |
| Melting point/freezing point | not determined |
| Boiling point or initial boiling point and boiling range | >250 °C at 1 atm |
| Flammability | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit | not determined |
| Flash point | >149 °C at 1 atm |
| Auto-ignition temperature | 310 °C |
| Decomposition temperature | not relevant |
| pH (value) | not determined |
| Kinematic viscosity | not determined |
| Solubility(ies) | not determined |

Partition coefficient

| | |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|

| | |
|----------------|----------------|
| Vapor pressure | not determined |
|----------------|----------------|

Density and/or relative density

| | |
|-------------------------|---|
| Density | 7.07 g/cm ³ at 20 °C |
| Relative vapour density | information on this property is not available |

| | |
|--------------------------|-----------------------|
| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

9.2 Other information

| | |
|--|---|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): not relevant |
|--|---|

Other safety characteristics

| | |
|--|--|
| Liquid content | 99.99 % |
| Solid content | 0 % |
| Temperature class (USA, acc. to NEC 500) | T2 (maximum permissible surface temperature on the equipment: 300°C) |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components | | | |
|---|------------|-------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| 1-Octene Homopolymer Hydrogenated | 70693-43-5 | dermal | >2,000 mg/kg |
| 1-Octene Homopolymer Hydrogenated | 70693-43-5 | inhalation: vapor | 25 mg/l/4h |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

| Acute toxicity estimate (ATE) of components | | | |
|---|------------|-----------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| 1-Octene Homopolymer Hydrogenated | 70693-43-5 | inhalation: dust/mist | >5 mg/l/4h |
| Trade Secret | 39202-17-0 | oral | >2,000 mg/kg |
| Trade Secret | 39202-17-0 | dermal | >2,000 mg/kg |
| trimethylolpropane trielargonate | 126-57-8 | oral | >2,000 mg/kg |
| trimethylolpropane trielargonate | 126-57-8 | dermal | >2,000 mg/kg |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components | | | | | |
|--|------------|----------|------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Trade Secret | 39202-17-0 | LC50 | >0.17 mg/l | fish | 24 h |
| Trade Secret | 39202-17-0 | EC50 | 0.5 mg/l | aquatic invertebrates | 24 h |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

| Aquatic toxicity (acute) of components | | | | | |
|--|------------|----------|-------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Trade Secret | 39202-17-0 | ErC50 | >0.077 mg/l | algae | 72 h |
| trimethylolpropane trielargonate | 126-57-8 | LC50 | >124 mg/l | fish | 96 h |
| trimethylolpropane trielargonate | 126-57-8 | EC50 | >9.3 mg/l | aquatic invertebrates | 48 h |
| trimethylolpropane trielargonate | 126-57-8 | ErC50 | >4.4 mg/l | algae | 72 h |

| Aquatic toxicity (chronic) of components | | | | | |
|--|------------|----------|-------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Trade Secret | 39202-17-0 | LC50 | >0.17 mg/l | fish | 3 h |
| Trade Secret | 39202-17-0 | EC50 | >0.031 mg/l | aquatic invertebrates | 21 d |

12.2 Persistence and degradability

| Degradability of components | | | | | | |
|----------------------------------|------------|---------------------------|------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
| Trade Secret | 39202-17-0 | oxygen depletion | 34.5 % | 7 d | | ECHA |
| trimethylolpropane trielargonate | 126-57-8 | carbon dioxide generation | 75.98 % | 28 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components | | | | |
|---|------------|-------|---------------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Trade Secret | 39202-17-0 | 153.3 | ≥5.85 – ≤5.96 | |
| trimethylolpropane trielargonate | 126-57-8 | 41.6 | >6.2 (25 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

| | |
|-----------|---------|
| DOT | UN 3082 |
| IMDG-Code | UN 3082 |
| ICAO-TI | UN 3082 |

14.2 UN proper shipping name

| | |
|-----------|---|
| DOT | Environmentally hazardous substance, liquid, n.o.s. |
| IMDG-Code | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| ICAO-TI | Environmentally hazardous substance, liquid, n.o.s. |

14.3 Transport hazard class(es)

| | |
|-----------|---|
| DOT | 9 |
| IMDG-Code | 9 |
| ICAO-TI | 9 |

14.4 Packing group

| | |
|-----------|-----|
| DOT | III |
| IMDG-Code | III |
| ICAO-TI | III |

14.5 Environmental hazards

hazardous to the aquatic environment



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

| | |
|--|---|
| Particulars in the shipper's declaration | UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III |
| Danger label(s) | 9, fish and tree |
| | |
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 8, 146, 173, 335, 441, IB3, T4, TP1, TP29 |
| ERG No | 171 |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|--------------------------|---|
| Marine pollutant | yes (hazardous to the aquatic environment) (Trade Secret) |
| Danger label(s) | 9, fish and tree |
| | |
| Special provisions (SP) | 274, 335, 969 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| EmS | F-A, S-F |
| Stowage category | A |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|--------------------------|--|
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Danger label(s) | 9, fish and tree |
| | |
| Special provisions (SP) | A97, A158, A197, A215 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 30 kg |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) not all ingredients are listed (ACTIVE)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Hazardous Substances List (MN-ERTK)

none of the ingredients are listed

- Hazardous Substance List (RI-RTK)

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | / | none |
| Health | 0 | no significant risk to health |
| Flammability | 1 | material that must be preheated before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category | Degree of hazard | Description |
|--------------|------------------|---|
| Flammability | 1 | material that must be preheated before ignition can occur |
| Health | 0 | material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material |
| Instability | 0 | material that is normally stable, even under fire conditions |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

| Category | Degree of hazard | Description |
|----------------|------------------|-------------|
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|-----------|--------------------------------|
| US | TSCA | not all ingredients are listed |

Legend

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|--|
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| Acute Tox. | Acute toxicity |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DOT | Department of Transportation (USA) |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| ED | Endocrine disruptor |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| ERG No | Emergency Response Guidebook - Number |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

RED DIAMOND SERIES OIL: 0W-20; 5W20; AND 5W-30

Version number 1.0:

Revision: 2024-06-21

| Abbr. | Descriptions of used abbreviations |
|----------------|---|
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical Properties. The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H303 | May be harmful if swallowed. |
| H313 | May be harmful in contact with skin. |
| H333 | May be harmful if inhaled. |
| H400 | Very toxic to aquatic life. |
| H401 | Toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.